

**Local Health Authority
Vettikkavala Grama Panchayathu
Family Health Centre/Community Health Centre,
Thalachira**

SANITARY FITNESS CERTIFICATE
(Kerala Public Health Ordinance Section 21)

As Health Inspector in the jurisdiction of the Vettikkavala Grama Panchayathu, I have inspected the Karickam International Public School on 25/03/2025, which is owned by Dr Abraham Karickam and bearing the building No. 11604.

The cleanliness of the said institution is satisfactory at the time of inspection. The water used in the institution, Sanitation process, light, heat emission processes, toilets, pest/ rat control systems, health of the employees etc. are satisfactory at the time of inspection. The school is kept neat and tidy and has been maintained in soundness.

This certificate has been issued on request of the owner, as per section 21 of the Kerala Public Health ordinance. They are allowed to exhibit it in the institution and the validity of the same will be till 24 /03/2026.

If the institution is found in unhealthy circumstances and without cleanliness during the inspection of the Health Authority/ Health Officer, this certificate will be cancelled and legal actions will be taken against the owner.

Place: Thalachira
Date: 25/03/2025

Health Inspector
Thalachira

*Certified that this is a true translation
of original Sanitary Fitness Certificate
original is in Malayalam*



Matthew George
26/3/2025

MATHEW GEORGE
Advocate & Notary
Reg. No. 04/2001/KLM
Kottarakara, Kollam Dist.
Kerala State, India-691 506
e-mail: advmatthewgeorge22@gmail.com
Mob: +91- 9447748430

Note: As per Kerala Public Health Ordinance Section 21, all institutions except individual residences are required to obtain Health and sanitary Fitness Certificate every year. If this provision is violated, they will be liable to pay a fine not exceeding Rs. 250/- and Rs. 100/- for each day for continuous violation.

ലോക്കൽ ഹെൽത്ത് അതോറിറ്റി
ചെങ്കിടമ്പലം (ഗ്രാമ പഞ്ചായത്ത്)
 കുടുംബ ആരോഗ്യ കേന്ദ്രം/ സാമൂഹിക ആരോഗ്യ കേന്ദ്രം **തലച്ചിറ**.

സാനിറ്ററി ഫിറ്റ്നസ് സർട്ടിഫിക്കറ്റ്
 (കേരള പബ്ലിക് ഹെൽത്ത് ഓർഡിനൻസ് സെക്ഷൻ 21 പ്രകാരം)


ശ്രീ **DR. നളിനാ ചരിയ** ന്റെ ഉടമസ്ഥതയിൽ ഉള്ളതും **ചെങ്കിടമ്പലം** ഗ്രാമ പഞ്ചായത്ത് കെട്ടിട നമ്പർ **1160A** ൽ പ്രവർത്തിച്ചുവരുന്നതുമായ **ചരിയ ഇൻസ്‌പെക്ടർ** എന്ന പേരിലുള്ള സ്ഥാപനം/ഹോട്ടൽ/കുൾബാർ/സ്കൂൾ/വർക്ക് ഷോപ്പ് മേൽപറഞ്ഞ ഗ്രാമ പഞ്ചായത്ത് അധികാരപരിധിയുള്ള ഹെൽത്ത് ഇൻസ്പെക്ടർ ആയ ഞാൻ **25/3/25** പരിശോധന നടത്തിയിട്ടുണ്ട്.

മേൽ പറഞ്ഞ സ്ഥാപനത്തിന്റെ ശുചിത്വം പരിശോധന സമയത്ത് തൃപ്തികരമാണ്. സ്ഥാപനത്തിൽ ഉപയോഗിക്കുന്ന വെള്ളം, വരദ്രവ മാലിന്യ സംസ്കരണ സംവിധാനം, വെളിച്ചം, ചൂടും, പുകയും പുറത്തേക്ക് തള്ളിക്കളയുന്നതിനുള്ള സംവിധാനം, ടോയ്ലറ്റ് സംവിധാനം, കീട/എലി നിയന്ത്രണം, ജീവനക്കാരുടെ ആരോഗ്യം ഉൾപ്പെടെയുള്ളവ പരിശോധന സമയത്ത് തൃപ്തികരമാണ്. സ്ഥാപനം വൃത്തിയിലും & ആരോഗ്യപരമായും സൂക്ഷിച്ചിട്ടുണ്ട്.

ഈ സർട്ടിഫിക്കറ്റ് ഉടമയുടെ അപേക്ഷയുടെ അടിസ്ഥാനത്തിൽ കേരള പബ്ലിക് ഹെൽത്ത് ഓർഡിനൻസ് സെക്ഷൻ 21 പ്രകാരം സ്ഥാപനത്തിൽ പ്രദർശിപ്പിച്ച് സൂക്ഷിക്കുന്നതിന് അനുവദിച്ചിട്ടുള്ളതും **25/3/25** ന് കാലാവധി അവസാനിക്കുന്നതുകൊണ്ടു.

ഹെൽത്ത് അതോറിറ്റി/ഹെൽത്ത് ഓഫീസറുടെ പരിശോധന സമയത്ത് സ്ഥാപനം ആരോഗ്യപരമല്ലാതെയും, ശുചിത്വരഹിതമായും കാണപ്പെട്ടാൽ ഈ സർട്ടിഫിക്കറ്റ് റദ്ദ് ചെയ്യുന്നതും ഉടമയ്ക്കെതിരെ നിയമ നടപടി സ്വീകരിക്കുന്നതുമാണ്.

സ്ഥലം : **തലച്ചിറ**
 തീയതി : **25/3/25**


 ഹെൽത്ത് ഇൻസ്പെക്ടർ
 (സാമൂഹിക ആരോഗ്യകേന്ദ്രം)
 തലച്ചിറ



കുറിപ്പ് : കേരള പബ്ലിക് ഹെൽത്ത് ഓർഡിനൻസ് സെക്ഷൻ 21 പ്രകാരം വ്യക്തിഗത താമസ സ്ഥലങ്ങൾ ഒഴികെയുള്ള എല്ലാ സ്ഥാപനങ്ങളും ഹെൽത്ത് ഇൻസ്പെക്ടറുടെ സാനിറ്ററി ഫിറ്റ്നസ് സർട്ടിഫിക്കറ്റ് എല്ലാ വർഷവും വാങ്ങിസൂക്ഷിക്കേണ്ടതും, ഇത് ലഭിക്കുന്ന പക്ഷം 250 രൂപയിൽ കവിയാത്ത പിഴയ്ക്കും, തുടർച്ചയായ ലംഘനത്തിന് ഓരോ ദിവസത്തേക്കും 100 രൂപ പിഴയ്ക്കും ബാധ്യസ്ഥനാകുന്നു.



QUALITY CONTROL SUB DISTRICT LABORATORY
KERALA WATER AUTHORITY
VALAKAM P.O, KOTTARAKKARA, KOLLAM 691532
(NABL Recognized Sub Divisional Level Government Drinking Water Testing Laboratory)

Test Report

Report No - 2025/QCSDL/KTR/1098			Date of issue : 15/03/25		
Customer Name & Address			1. Date of Receipt : 13/03/25		
KARICKAM INTERNATIONAL PUBLIC SCHOOL KARICKAM PO 691531 KOTTARAKKARA PH : 9446593013			2. Sampling done by : CUSTOMER		
			3. Sample Code : 2025/QCSDL/KTR/1098		
			4. Source of Sample : WELL WATER		
			5. Sample Description : DRINKING WATER		
			6. Sample Quantity : 2 Litres		
			7. Test Performing Dates From: 14/03/2025 To: 15/03/2025		
Sl. No.	Characteristics	Unit	Test Method	Maximum Acceptable limits as per IS 10500 - 2012	Result
1	Turbidity	(NTU)	IS 3025 (Part 10): 2023 Nephelometric Method	1	5.4
2	pH at 25 °C	—	IS 3025 (Part 11): 2022 Electrometric Method	6.5 to 8.5	6.67
3	Total Hardness (as CaCO ₃)	(mg/L)	IS 3025 (Part 21): 2009 EDTA Method	200	26
4	Chloride (as Cl ⁻)	(mg/L)	IS 3025 (Part 32): 1988 Argentometric Method	250	< 10

NB:- 1. The results stated above related only to the sample(s) submitted for testing. 2.This test certificate shall not be reproduced except in full without the written approval of the Laboratory.3.The results apply to the sample as received. 4. Sample will be retained only for 7 days after reporting the test results.

KWA/QCSDL/KTR/R/19

Issue No. 01

* End of Report *
Issue Date: 01.01.2022
Page 1 of 1

Rev. No. 06

Shreyas
15/3/25
Authorized By
Name: *SHREYAS*
SANITARY CHEMIST
QUALITY CONTROL SUB DISTRICT LABORATORY
KERALA WATER AUTHORITY
KOTTARAKKARA



QUALITY CONTROL SUB DISTRICT LABORATORY
KERALA WATER AUTHORITY
VALAKAM P.O, KOTTARAKKARA, KOLLAM 691532

Test Report

Report No - 2025/QCSDL/KTR/1098			Date Of issue : 15/03/25		
Customer Name & Address			1. Date of Receipt : 13/03/25		
KARICKAM INTERNATIONAL PUBLIC SCHOOL KARICKAM PO 691531 KOTTARAKKARA PH : 9446593013			2. Sampling done by : CUSTOMER		
			3. Sample Code : 2025/QCSDL/KTR/1098		
			4. Source of Sample : WELL WATER		
			5. Sample Description : DRINKING WATER		
			6. Sample Quantity : 2 Litres		
			7. Test Performing Dates From : 14/03/2025 To : 15/03/2025		
Sl No.	Characteristics	Unit	Test Method	Maximum Acceptable limits as per IS 10500 - 2012	Result
1	Electrical Conductivity at 25 °C	(micro mhos/cm)	IS 3025 (part 14) - 2015	—	93.52
2	Iron (as Fe)	(mg/L)	IS 3025 (part 53) - 2003 1,10 Phenanthroline Method	1.0	0.35
3	Nitrate (as NO ₃)	(mg/L)	APHA 24th Edition 4500 - NO ₃ ⁻ B UV Spectrophotometric Screening Method	45	0.00

NB:- 1.The results stated above related only to the sample(s) submitted for testing. 2.This test certificate shall not be reproduced except in full without the written approval of the Laboratory.3.The results apply to the sample as received. 4. Sample will be retained only for 7 days after reporting the test results.

KWA/QCSDL/KTR/R/19

Issue No. 01

* End of Report *

Issue Date: 01.01.2022


Rev. No. 03

Rev.Date:18.07.24

Page 1 of 1

Dhanya
15/3/25
Authorized By
Name: Dhanya
Sanitary Chemist
SANITARY CHEMIST
QUALITY CONTROL SUB DISTRICT LAB
KERALA WATER AUTHORITY
KOTTARAKKARA

	QUALITY CONTROL SUB DISTRICT LABORATORY KERALA WATER AUTHORITY VALAKAVIL P.O, KOTTARAKKARA, KOLLAM - 691 532 ☎ 0474-2915112 Qcsdlabr@gmail.com	

Test Report				
Report No: 2025/QCSDL/KTR/ 1098		Date of Issue : 15/03/2025		
Customer Name & Address:		1. Date of Receipt : 13/03/2025		
KARICKAM INTERNATIONAL PUBLIC SCHOOL KARICKAM PO 691531 KOTTARAKKARA PH : 9446593013		2. Sampling done by : CUSTOMER		
		3. Sample Code : 2025/QCSDL/KTR/ 1098		
		4. Source of Sample : WELL WATER		
		5. Sample Description : Drinking water		
		6. Sample Quantity : 250 ml		
		7. Sample Condition : Good		
		8. Test Performing Dates From : 13/03/2025 To: 15/03/2025		
SL. NO.	Characteristics	Test Method	Acceptable limits as per IS 10500 - 2012	Result
1	Total Coliforms/ 100 ml	IS 15185 : 2016 (Reaffirmed 2021)	Shall not be detected/ 100 ml	PRESENT
2	E. coli /100 ml	IS 15185 : 2016 (Reaffirmed 2021)	Shall not be detected/ 100 ml	ABSENT
NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.				
End of Report		 Authorized By BACTERIOLOGIST QUALITY CONTROL SUB DISTRICT LAB		
KWAKLMR/19	Issue No. 01	Issue Date: 10.01.2024	Rev. No. 01	KERALA WATER AUTHORITY Rev. Date: 01.01.2025 KOTTARAKKARA
Page 1 of 1				



QUALITY CONTROL SUB DISTRICT LABORATORY
KERALA WATER AUTHORITY
VALAKAMP.O, KOTTARAKKARA, KOLLAM - 691 532
☎ 0474-2918112 ✉ qcsubdlkr@gmail.com

Test Report				
Report No: 2025/QCSDL/KTR/ 1145		Date of Issue: 21/03/2025		
Customer Name & Address		1. Certificate No: 25/03/2025		
KARICKAME INTERNATIONAL PUBLIC SCHOOL KARICKAM P.O. 691531 KOTTARAKKARA PH: 9496106872		2. Sampling done by: CUSTOMER		
		3. Sample Code: 2025/QCSDL/KTR/ 1145		
		4. Source of Sample: WELL WATER		
		5. Sample Description: Drinking water		
		6. Sample Quantity: 250 ml		
		7. Sample Condition: Good		
		8. Test Performing Dates From: 19/03/2025 To: 21/03/2025		
SL. NO.	Characteristics	Test Method	Acceptable limits as per IS 10500 - 2012	Result
1	Total Coliforms/ 100 ml	IS 15185 : 2016 (Reaffirmed 2021)	Shall not be detected/ 100-ml	ABSENT
2	E. coli /100 ml	IS 15185 : 2016 (Reaffirmed 2021)	Shall not be detected/ 100 ml	ABSENT
NB:- The results stated above related only to the sample(s) submitted for testing. This test certificate shall not be reproduced except in full without the written approval of the Laboratory.				
End of Report		 Authorized By Bacteriologist BACTERIOLOGIST QUALITY CONTROL SUB DISTRICT LAB KERALA WATER AUTHORITY KOTTARAKKARA		
KVA/KLM/R/19		Issue No. 01	Issue Date: 10.01.2024	Rev. No. 01
Page 1 of 1				